

1,2,3-TCP Concentrations in IRWD Banking Project Wells

Well Name	Perforation Intervals (ft bgs) ¹	Previously Sampled ² (µg/L) ³	Sample Collected on 3/11/20 (µg/L)	Sample Collected on 5/22/20 (µg/L)
SWEX-1	420 - 550, 570 - 620	0.009	0.01	0.01
SWEX-2	400 - 510, 550 - 610	0.011	0.009	N/A
SWEX-3	390 - 530, 590 - 620	0.018	0.010	0.010
SREX-1	380 - 650	0.011	N/A	< 0.00053
SREX-2	410 - 610	0.008	0.006	< 0.00053
SREX-3	410 - 530, 570 - 650	0.005	0.008	< 0.00053
SREX-4	410 - 560, 600 - 650	0.003	< 0.00053	< 0.00053
SREX-5	410 - 505, 545 - 650	0.003	0.006	< 0.00053
SREX-6	195 - 492	0.014	N/A	N/A
SREX-7	410 - 480, 520 - 660	0.006	< 0.00053	< 0.00053
M-1	350 - 465, 495 - 600	0.005	0.006	< 0.00053
SUP-1	370 - 535, 565 - 660, 790 - 960	0.007	N/A	N/A
SUP-2	370 - 430, 460 - 630	0.003	0.004	< 0.00053
SUP-4	365 - 545, 570 - 610, 630 - 780	0.006	0.007	< 0.00053
SUP-5	370 - 560, 600 - 670	0.002	< 0.00053	< 0.00053
SUP-6	410 - 610, 700 - 920	0.004	< 0.00053	< 0.00053

Notes:

¹ ft bgs = feet below ground surface

² Sample collection date unknown.

³ µg/L = micrograms per liter

⁴ N/A = Not Available

Data from Rosedale-Rio Bravo Water Storage District.